



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10238

### Infused Flower Cherry On Top

Batch #: 250110INFCOT  
Strain: Cherry On Top  
Parent Batch #:  
Production Method: Indoor  
Harvest Date: 12/10/2024  
Received: 01/14/2025

Sample ID: 2501SMAZ0046.0165  
Amount Received: 9.5 g  
Sample Type: Enhanced/Infused Flowers  
Sample Collected: 01/14/2025 10:23:00  
Manufacture Date: 01/10/2025  
Published: 01/18/2025



## R&D NOT FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

**56.321%**  
Total THC

**ND**  
Total CBD

**ND**  
CBN

**0.153%**  
CBG

**65.279%**  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10238

### Cannabinoid Profile

HPLC

Tested

### Sample Prep

Batch Date: 01/14/2025  
SOP: 418.AZ  
Batch Number: 2498

### Sample Analysis

Date: 01/15/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.042 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.307	0.930	1	ND	ND	
CBD	0.307	0.930	1	ND	ND	
CBDA	0.307	0.930	1	ND	ND	
CBDV	0.307	0.930	1	ND	ND	
CBG	0.307	0.930	1	0.153	1.530	
CBGA	0.307	0.930	1	1.024	10.240	
CBN	0.307	0.930	1	ND	ND	
d8-THC	0.307	0.930	1	ND	ND	
d9-THC	0.307	0.930	1	0.843	8.432	
THCA	0.307	0.930	1	63.259	632.585	
THCV	0.307	0.930	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	56.321	563.209	
Total CBD	ND	ND	
Total Cannabinoids	65.279	652.787	Q3


Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10238

### Terpene Total

GC-FID

Tested (1.4350%)


### Sample Prep

Batch Date: 01/15/2025  
SOP: 419  
Batch Number: 2504

### Sample Analysis

Date: 01/16/2025  
SOP: 419 - GC-FID  
Sample Weight: 0.412 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0308	Q3	gamma-Terpinene	0.0010 / 0.0029	1	<LOQ	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	ND	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.1139	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.0034	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0129	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.4334	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0195	Q3	Limonene	0.0010 / 0.0029	1	0.0937	Q3
Borneol	0.0010 / 0.0029	1	0.0051	Q3	Linalool	0.0010 / 0.0029	1	0.1820	Q3
Camphene	0.0010 / 0.0029	1	0.0030	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	<LOQ	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0363	Q3	Terpineol	0.0010 / 0.0029	1	0.0283	Q3
Cedrol	0.0010 / 0.0029	1	0.0284	Q3	Terpinolene	0.0010 / 0.0029	1	0.0084	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.3639	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0192	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.0529	Q3
Eucalyptol	0.0010 / 0.0029	1	<LOQ	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	ND	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10238

### Microbial Analysis

Pass

#### Sample Prep

Batch Date: 01/15/2025  
SOP: 412.AZ  
Batch Number: 2508

#### Sample Analysis

Date: 01/16/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.002 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

#### Sample Prep

Batch Date: 01/15/2025  
SOP: 406.AZ  
Batch Number: 2505

#### Sample Analysis

Date: 01/16/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.030 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

#### Sample Prep

Batch Date: 01/15/2025  
SOP: 406.AZ  
Batch Number: 2505

#### Sample Analysis

Date: 01/16/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.030 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 10238

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 01/16/2025  
SOP: 405.AZ  
Batch Number: 2511

**Sample Analysis**

Date: 01/17/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.051 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	<LOQ		Heptane	327 / 980	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 980	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	196 / 588	1	3000	<LOQ	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 980	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	327 / 980	1	5000	ND	
Ethanol	327 / 980	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	327 / 980	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	327 / 980	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10238

### Heavy Metals

ICP-MS

Pass

### Sample Prep

Batch Date: 01/16/2025  
SOP: 428.AZ  
Batch Number: 2515

### Sample Analysis

Date: 01/16/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.229 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.052	0.175	10	0.4	ND	
Cadmium	0.052	0.175	10	0.4	ND	
Lead	0.052	0.437	10	1	ND	
Mercury	0.052	0.087	10	0.2	ND	

### Mycotoxin Analysis

LC-MS/MS

Pass

### Sample Prep

Batch Date: 01/14/2025  
SOP: 432.AZ  
Batch Number: 2497

### Sample Analysis

Date: 01/15/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.573 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.49	8.73	1	20	ND	
Aflatoxin B1	3.49	8.73	1		ND	I1
Aflatoxin B2	3.49	8.73	1		ND	
Aflatoxin G1	3.49	8.73	1		ND	I1
Aflatoxin G2	3.49	4.36	1		ND	
Ochratoxin A	8.73	8.73	1	20	ND	I1, V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10238

### Pesticides, Fungicides, and Growth Regulators

LC-MS/MS Pass

#### Sample Prep

Batch Date: 01/14/2025  
SOP: 432.AZ  
Batch Number: 2497

#### Sample Analysis

Date: 01/15/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.573 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.072 / 0.218	1	0.5	ND		Hexythiazox	0.146 / 0.436	1	1	ND	
Acephate	0.058 / 0.175	1	0.4	ND		Imazalil	0.029 / 0.087	1	0.2	ND	
Acetamiprid	0.029 / 0.087	1	0.2	ND		Imidacloprid	0.058 / 0.175	1	0.4	ND	
Aldicarb	0.058 / 0.175	1	0.4	ND		Kresoxim-methyl	0.058 / 0.175	1	0.4	ND	
Azoxystrobin	0.029 / 0.087	1	0.2	ND		Malathion	0.029 / 0.087	1	0.2	ND	
Bifenazate	0.029 / 0.087	1	0.2	ND		Metaxyl	0.029 / 0.087	1	0.2	ND	
Bifenthrin	0.029 / 0.087	1	0.2	ND		Methiocarb	0.029 / 0.087	1	0.2	ND	
Boscalid	0.058 / 0.175	1	0.4	ND		Methomyl	0.058 / 0.175	1	0.4	ND	
Carbaryl	0.029 / 0.087	1	0.2	ND		Myclobutanil	0.029 / 0.087	1	0.2	ND	
Carbofuran	0.029 / 0.087	1	0.2	ND		Naled	0.072 / 0.218	1	0.5	ND	
Chlorantraniliprole	0.029 / 0.087	1	0.2	ND		Oxamyl	0.146 / 0.436	1	1	ND	
Chlorfenapyr	0.146 / 0.436	1	1	ND	I1, R1	Paclobutrazol	0.058 / 0.175	1	0.4	ND	
Chlorpyrifos	0.029 / 0.087	1	0.2	ND		Permethrins	0.029 / 0.087	1	0.2	ND	
Clofentezine	0.029 / 0.087	1	0.2	ND		Phosmet	0.029 / 0.087	1	0.2	ND	
Cyfluthrin	0.146 / 0.436	1	1	ND		Piperonyl Butoxide	0.291 / 0.873	1	2	ND	
Cypermethrin	0.146 / 0.436	1	1	ND		Prallethrin	0.029 / 0.087	1	0.2	ND	
Daminozide	0.146 / 0.436	1	1	ND		Propiconazole	0.058 / 0.175	1	0.4	ND	
Diazinon	0.029 / 0.087	1	0.2	ND		Propoxur	0.029 / 0.087	1	0.2	ND	
Dichlorvos	0.015 / 0.044	1	0.1	ND		Pyrethrins	0.122 / 0.366	1	1	ND	
Dimethoate	0.029 / 0.087	1	0.2	ND		Pyridaben	0.029 / 0.087	1	0.2	ND	
Ethoprophos	0.029 / 0.087	1	0.2	ND		Spinosad	0.029 / 0.087	1	0.2	ND	
Etofenprox	0.058 / 0.175	1	0.4	ND		Spiromesifen	0.029 / 0.087	1	0.2	ND	
Etoxazole	0.029 / 0.087	1	0.2	ND		Spirotetramat	0.029 / 0.087	1	0.2	ND	
Fenoxycarb	0.029 / 0.087	1	0.2	ND		Spiroxamine	0.058 / 0.175	1	0.4	ND	
Fenpyroximate	0.058 / 0.175	1	0.4	ND		Tebuconazole	0.058 / 0.175	1	0.4	ND	
Fipronil	0.058 / 0.175	1	0.4	ND		Thiacloprid	0.029 / 0.087	1	0.2	ND	
Flonicamid	0.146 / 0.436	1	1	ND	V1	Thiamethoxam	0.029 / 0.087	1	0.2	ND	
Fludioxonil	0.058 / 0.175	1	0.4	ND		Trifloxystrobin	0.029 / 0.087	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 10238

**Moisture Analysis**

Moisture: **9.21 %**  
Qualifier: Q3

**Sample Prep and Analysis**

Date: 01/14/2025  
SOP: 411 - Moisture Balance  
Sample Weight: 0.306 g



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 10238

### Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:


**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
1341 W. Industrial Dr.  
Coolidge, AZ 85128  
License #: 00000105DCOU00194638  
Sample ID: 2501SMAZ0046.0165  
Batch #: 250110INFCOT



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 10238

**Notes:**




**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>