

**Verano Processing**

Licensee Permit #: P-18-00002

Item Name: Savvy Strut AIO - Peaches & Cream - Vape Cart - 2g

Test Tag: 1A40303000017D5000024467

Source Package: 1A40303000017D5000031178

Sample Received: 02/18/2025

Lab ID: VERP024467

Manifest ID: 1800720

METRC Lab Test Batch: Vape Cartridge

**Cannabinoids**

Analyte	**MRL	Date Tested	
		Unit	2/19/2025
		% (w/w)	mg/g
CBD	0.2	< MRL	< MRL
CBDa	0.2	< MRL	< MRL
CBN	0.2	0.41	4.1
THC	0.2	81.28	812.8
THCa	0.2	< MRL	< MRL
CBDV	0.2	< MRL	< MRL
CBG	0.2	2.58	25.8
CBGa	0.2	< MRL	< MRL
Δ8-THC	0.2	< MRL	< MRL
THCV	0.2	< MRL	< MRL
CBC	0.2	< MRL	< MRL


Total THC  $D8THC + D9THC + (THCa * 0.877)$  81.28  
Total Cannabinoids 84.27

Methods: SOP-025-GA; SOP-073-GA

Instrument: HPLC-PDA

- CBD
- CBDa
- CBN
- THC
- THCa
- CBDV
- CBG
- CBGa
- Δ8-THC
- THCV
- CBC

Cannabinoids



**Terpenes**


Analyte	MRL	Date Tested	
		Unit	2/19/2025
		%	mg/g
alpha-Pinene	0.020	0.080	0.80
Camphene	0.020	< MRL	< MRL
Sabinene	0.020	< MRL	< MRL
beta-Pinene	0.020	0.100	1.00
beta-Myrcene	0.100	0.390	3.90
3-Carene	0.020	Not Tested	Not Tested
alpha-Terpinene	0.020	< MRL	< MRL
p-Cymene	0.020	Not Tested	Not Tested
d-Limonene	0.200	0.750	7.50
Eucalyptol	0.020	< MRL	< MRL
Ocimene	0.200	< MRL	< MRL
gamma-Terpinene	0.020	< MRL	< MRL
Sabinene hydrate	0.020	< MRL	< MRL
Terpinolene	0.020	0.030	0.30
Fenchone	0.020	< MRL	< MRL
Linalool	0.100	0.330	3.30
Fenchol	0.020	0.100	1.00
Isopulegol	0.020	Not Tested	Not Tested
Camphor	0.020	< MRL	< MRL
Isoborneol	0.020	< MRL	< MRL
Borneol	0.040	< MRL	< MRL
Menthol	0.020	0.060	0.60
Terpineol	0.100	0.180	1.80
Nerol	0.200	< MRL	< MRL
Pulegone	0.100	< MRL	< MRL
Geraniol	0.400	< MRL	< MRL
Geraniol acetate	0.400	< MRL	< MRL
alpha-Cedrene	0.020	Not Tested	Not Tested
beta-Caryophyllene	0.020	0.520	5.20
alpha-Humulene	0.020	0.080	0.80
Valencene	0.020	< MRL	< MRL
cis-Nerolidol	0.100	< MRL	< MRL
trans-Nerolidol	0.200	< MRL	< MRL
Caryophyllene oxide	0.020	0.150	1.50
Guaiol	0.020	< MRL	< MRL
Cedrol	0.020	< MRL	< MRL
beta-Eudesmol	0.020	0.130	1.30
alpha-Bisabolol	0.100	0.280	2.80

Total 3.180 31.80

Methods: SOP-063-GA; SOP-069-GA

Instrument: GCMS

<b>Pesticides</b> PASS	<b>Mycotoxins</b> PASS
<b>Heavy Metals</b> PASS	<b>Microbials</b> PASS
<b>Water Activity</b> Not Required	<b>Solvents</b> PASS
<b>Moisture Content</b> Not Required	<b>Foreign Matter</b> PASS
<b>Vitamin E Acetate</b> PASS	

  
2/22/2025  
Daniel Kulakowski  
Lab Director, Green Analytics Maryland

\* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

\*\*MRL = Minimum Reporting Limit \*dry-weight potency

\*\* All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MMCC Technical Authority for Medical Cannabis Testing, Revision 4.0 (EXT-732-MD)

## Verano Processing

Licensee Permit #: P-18-00002

Item Name: Savvy Strut AIO - Peaches & Cream - Vape Cart - 2g

Test Tag: 1A40303000017D5000024467

Source Package: 1A40303000017D5000031178

Sample Received: 02/18/2025

Lab ID: VERP024467

Manifest ID: 1800720

METRC Lab Test Batch:

Vape Cartridge

Analyte	Limit	MRL	Date Tested	
			Unit	Status
	ppm	ppm	ppm	
Arsenic	0.4	0.10	< MRL	PASS
Cadmium	0.4	0.10	< MRL	PASS
Chromium	0.6	0.15	< MRL	PASS
Mercury	0.2	0.05	< MRL	PASS
Lead	1.0	0.25	< MRL	PASS

Methods: SOP-061-GA; SOP-072-GA

Instrument: ICP-MS

Analyte	Limit	MRL	Date Tested	
			Unit	Status
	ppm	ppm	ppm	
Propane	5000	43.4	< MRL	PASS
n-Butane	5000	94.0	< MRL	PASS
ethanol	5000	535.0	< MRL	PASS
hexanes	290	63.3	< MRL	PASS
benzene	2	0.4	< MRL	PASS
n-Heptane	5000	540.0	< MRL	PASS
toluene	890	190.0	< MRL	PASS
total xylenes	2170	1936.0	< MRL	PASS

Methods: SOP-010-GA; SOP-067-GA

Instrument: GC-MS-MS

Analyte	Limit	LC-MS/MS	Date Tested	
			Unit	Status
	%		%	
Vitamin E Acetate	0.7		0.00	PASS

Methods: SOP-706-MD; SOP-070-GA

Instrument: LC-MS/MS

Analyte	Limit	MRL	Date Tested	
			Unit	Status
	ppb	ppb	ppb	
Aflatoxin B1	20	10.0	< MRL	PASS
Aflatoxin B2	20	10.0	< MRL	PASS
Aflatoxin G1	20	10.0	< MRL	PASS
Aflatoxin G2	20	10.0	< MRL	PASS
Ochratoxin A	20	10.0	< MRL	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS

Analyte	Limit	MRL	Unit	Status
Total Yeast and Mold Count	100000	200	<MRL	PASS
Total Aerobic Microbial Count	100000	200	<MRL	PASS
Total Coliforms	100		Not Required	
E.coli	1		Not Detected	PASS
STEC	Not Detected		Not Required	
Salmonella	Not Detected		Not Detected	PASS
L. monocytogenes	Not Detected		Not Required	

Methods: SOP-700-MD; SOP-709-MD; SOP-719-MD

Analyte	Limit	Unit	Status
Water Activity	0.65		Not Required

Methods: SOP-059-GA


Instrument: Water activity meter

Analyte	Unit	Status
Moisture Content		Not Required

Methods: SOP-055-GA

Instrument: Moisture analyzer

Analyte	Limit	Date Tested	Unit	Status
Foreign Matter	30	2/18/2025		Not Detected

  
2/22/2025  
Daniel Kulakowski  
Lab Director, Green Analytics Maryland

+ Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

++ All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MMCC Technical Authority for Medical Cannabis Testing, Revision 4.0 (EXT-732-MD)

\*\*MRL = Minimum Reporting Limit \*dry-weight potency

## Verano Processing

Licensee Permit #: P-18-00002

Item Name: Savvy Strut AIO - Peaches & Cream - Vape Cart - 2g

Test Tag: 1A40303000017D5000024467

Source Package: 1A40303000017D5000031178

Sample Received: 02/18/2025

Lab ID: VERP024467

Manifest ID: 1800720

METRC Lab Test Batch:

Vape Cartridge

### Pesticides

Analyte	Limit	MRL	Unit	Status
	ppm	ppm	ppm	
Daminozide	1.00	1.00	< MRL	PASS
Ethephon	1.00	1.00	< MRL	PASS
Oxamyl	1.00	1.00	< MRL	PASS
Flonicamid	1.00	1.00	< MRL	PASS
Methomyl	0.40	0.40	< MRL	PASS
Thiamethoxam	0.20	0.20	< MRL	PASS
Imidacloprid	0.40	0.40	< MRL	PASS
Dimethoate	0.20	0.20	< MRL	PASS
Acetamiprid	0.20	0.20	< MRL	PASS
Thiacloprid	0.20	0.20	< MRL	PASS
Aldicarb	0.40	0.40	< MRL	PASS
Dichlorvos	0.10	0.10	< MRL	PASS
Carbofuran	0.20	0.20	< MRL	PASS
Ancymidol	0.20	0.20	< MRL	PASS
Carbaryl	0.20	0.20	< MRL	PASS
Clofentazine	0.20	0.20	< MRL	PASS
Imazalil	0.20	0.20	< MRL	PASS
Naled	0.50	0.50	< MRL	PASS
Metalaxyl	0.20	0.20	< MRL	PASS
Chloantraniliprole	0.20	0.20	< MRL	PASS
Phosmet	0.20	0.20	< MRL	PASS
Malathion	0.20	0.20	< MRL	PASS
Boscalid	0.40	0.40	< MRL	PASS
Pacllobutrazol	0.40	0.40	< MRL	PASS
Methiocarb	0.20	0.20	< MRL	PASS
Myclobutanil	0.20	0.20	< MRL	PASS
Azoxystrobin	0.20	0.20	< MRL	PASS
Flurprimidol	0.20	0.20	< MRL	PASS
Bifenazate	0.20	0.20	< MRL	PASS

### Pesticides (Continued)

Analyte	Limit	MRL	Unit	Status
	ppm	ppm	ppm	
Spirotetramat	0.20	0.20	< MRL	PASS
Kresoxym-methyl	0.40	0.40	< MRL	PASS
Diazinon	0.20	0.20	< MRL	PASS
Propiconazole	0.40	0.40	< MRL	PASS
Spinosad A	0.20	0.20	< MRL	PASS
Trifloxystrobin	0.20	0.20	< MRL	PASS
Spinosad D	0.20	0.20	< MRL	PASS
Pyrethrin II	1.00	1.00	< MRL	PASS
Chlorpyrifos	0.20	0.20	< MRL	PASS
Spiromesifen	0.20	0.20	< MRL	PASS
Piperonyl Butoxide	1.00	1.00	< MRL	PASS
Etoxazole	1.00	1.00	< MRL	PASS
Hexythiazox	1.00	1.00	< MRL	PASS
Pyrethrin I	1.00	1.00	< MRL	PASS
Fenpyroximate	0.20	0.20	< MRL	PASS
Cyfluthrin	1.00	1.00	< MRL	PASS
Permethrin	0.50	0.50	< MRL	PASS
Abamectin B1a	0.50	0.50	< MRL	PASS
Bifenthrin	0.20	0.20	< MRL	PASS
Fludioxonil	0.40	0.40	< MRL	PASS
Fipronil	0.40	0.40	< MRL	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS



2/22/2025

Daniel Kulakowski  
Lab Director, Green Analytics Maryland

\* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

\*\*MRL = Minimum Reporting Limit \*dry-weight potency

†† All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MMCC Technical Authority for Medical Cannabis Testing, Revision 4.0 (EXT-732-MD)