Certificate of Analysis

Compliance

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182

Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027

MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12

Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units




Results

92.8 % THCa	**2.4 %** CBGa
0 % Total CBD	**82 %** Total THC
96.3 % Total Cannabinoids	**3.77%** Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	**Microbials** Pass
Water Activity Pass	**Foreign Matter** Pass	Homogeneity Not Tested
Terpenes Tested	**Contaminant Load** Pass	**Residual Solvents** Pass
Mycotoxins Pass	**Heavy Metals** Pass	**Pesticides** Pass
Kratom Not Tested		

Dominant Terpenes



ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Cannabinoids

Tested

Sample Prep
Tech: 4509, 4495
SOP: SOP 801
Batch Number: WCNDFL-FL0827-0009824
Batch Date: 08/27/2026 18:09

Sample Analysis
Date/Time: 08/30/2026 21:47
Tech: 4495
SOP: SOP 801
Instrument: HPLC - 3012
Initial Weight: 0.235 g
Final Weight: 0.235 g
Dilution Factor for Sample: 2,051.5

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.087	4.357	<0.00871	<0.0871	<0.0871
CBDa	0.662	4.357	<0.0662	<0.662	<0.662
CBGa	0.328	4.357	**2.40**	**24.0**	**24.0**
CBG	0.713	4.357	**0.180 ***	**1.80 ***	**1.80 ***
CBD	1.211	4.357	<0.121	<1.21	<1.21
THCV	0.282	4.357	<0.0282	<0.282	<0.282
THCVa	0.235	4.357	**0.336 ***	**3.36 ***	**3.36 ***
CBN	0.128	4.357	<0.0128	<0.128	<0.128
D8-THC	0.733	4.357	<0.0733	<0.733	<0.733
D9-THC	0.631	4.357	**0.556**	**5.56**	**5.56**
CBC	0.471	4.357	<0.0471	<0.471	<0.471
THCa	0.72	4.357	**92.8**	**928**	**928**
CBCa	1.195	4.357	**0.500**	**5.00**	**5.00**
Total CBD			**0.00**	**0.00**	**0.00**
Total THC			**82.0**	**820**	**820**
Total Cannabinoids			**96.3**	**963**	**963**

Report Notes:
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD. *Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. Unless otherwise stated all quality control samples performed within specification established by the Laboratory. The expanded measurement of uncertainty for D9-THC has been determined to be 4.4%. Therefore any samples that have a dry weight concentration of up to 0.3132% are determined to be within the acceptable hemp D9-THC concentration of 0.3% or less.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Microbials

Pass

Sample Prep
Tech: 4302, 4495
SOP: SOP 406-FL
Batch Number: WINCFL-FL0826-0009742
Batch Date: 08/26/2026 16:46

Sample Analysis
Date/Time: 08/28/2026 13:32
Tech: 4509, 4495
SOP: SOP 406-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835
Initial Weight: 3.008 g
Final Weight: 3.008 g
Dilution Factor for Sample: 10

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	None Present	Absence	Passed
Aspergillus Flavus	None Present	Absence	Passed
Aspergillus Fumigatus	None Present	Absence	Passed
Aspergillus Niger	None Present	Absence	Passed
Aspergillus Terreus	None Present	Absence	Passed
STEC E. Coli	None Present	Absence	Passed
Listeria species	None Present	Absence	Passed

Report Notes:
TNTC = Too Numerous to Count, ND = Not Detected; Unless otherwise stated all quality control samples performed within specification established by the Laboratory ♦ Listeria species pending accreditation.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Water Activity

Pass

Sample Prep
Tech: 4513
SOP: SOP 407-FL
Batch Number: WWAFL-FL0827-0009800
Batch Date: 08/27/2026 14:46

Sample Analysis
Date/Time: 08/28/2026 13:31
Tech: 4509
SOP: SOP 407-FL
Instrument: Rotronic Water Activity Meter - 3530
Initial Weight: 1.045 g
Final Weight: 1.045 g

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	**0.49**	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Foreign Matter

Pass

Sample Prep/Analysis
Tech: 4302
SOP: SOP 409-FL
Batch Date: 08/26/2026 17:26

Sample Analysis
Date/Time: 08/27/2026 09:57
Tech: 4509
SOP: SOP 409-FL
Initial Weight: 14 g
Final Weight: 14 g

Analyte	Limit (%)	%	Status
FM Weight	1	0.00	Passed
FM Sample Area	10	0.00	Passed
Feces, Mold, Mildew, and/or Fungus	0	Absence	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Terpenes

Tested

Sample Prep
Tech: 3358, 4509
SOP: SOP 419-FL
Batch Number: WLTRFL-FL0827-0009828
Batch Date: 08/27/2026 18:17

Sample Analysis
Date/Time: 08/28/2026 15:45
Tech: 4509
SOP: SOP 419-FL
Instrument: GC-FID - 2893
Initial Weight: 0.59 g
Final Weight: 0.59 g
Dilution Factor for Sample: 10

Analyte	LOD (%)	LOQ (%)	%
Total Terpenes			**3.77**
b-Caryophyllene	0.001	0.003	**0.921**
Limonene	0.001	0.003	**0.681**
Linalool	0.001	0.003	**0.574**
b-Myrcene	0.001	0.003	**0.312**
a-Humulene	0.001	0.003	**0.263**
Fenchol	0.001	0.003	**0.180**
Terpineol	0.001	0.003	**0.160**
a-Cedrene	0.001	0.003	**0.143**
b-Pinene	0.001	0.003	**0.122**
trans-b-Ocimene	0.001	0.003	**0.109**
a-Pinene	0.001	0.003	**0.0890**
trans-Nerolidol	0.001	0.003	**0.0670**
a-Bisabolol	0.001	0.003	**0.0490**
Camphene	0.001	0.003	**0.0190**
Borneol	0.001	0.003	**0.0160**
Terpinolene	0.001	0.003	**0.0150**
Caryophyllene Oxide	0.001	0.003	**0.0120**
Fenchone	0.001	0.003	**0.00800**
DL-Menthol	0.001	0.003	**0.00700**
Eucalyptol	0.001	0.003	**0.00400**
Pulegone	0.001	0.003	**0.00400**
Geraniol	0.001	0.003	**0.00400**
cis-b-Ocimene	0.001	0.003	**0.00400**
a-Terpinene	0.001	0.003	**0.00300**
g-Terpinene	0.001	0.003	**0.00300**
Sabinene Hydrate	0.001	0.003	**0.00300**
Isoborneol	0.001	0.003	**0.00300**
a-Phellandrene	0.001	0.003	< LOQ

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182

Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027

MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12

Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Analyte	LOD (%)	LOQ (%)	%
d-3-Carene	0.001	0.003	ND
Isopulegol	0.001	0.003	ND
Camphor	0.001	0.003	ND
Nerol	0.001	0.003	ND
Geranyl Acetate	0.001	0.003	ND
Valencene	0.001	0.003	ND
cis-Nerolidol	0.001	0.003	ND
Guaiol	0.001	0.003	ND
Cedrol	0.001	0.003	ND

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. The reported result is based on a sample weight with the applicable moisture content for that sample. Unless otherwise stated all quality control samples performed within specification established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Contaminant Load

Pass

Sample Prep/Analysis
Tech: 4495
SOP: SOP 424-FL & SOP 428-FL
Batch Date: 08/26/2026 15:44

Analyte	Limit (ppm)	ppm	Status
Total Contaminant Load	5	0.00	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Residual Solvents

Pass

Sample Prep
Tech: 3358, 4509
SOP: SOP 405-FL
Batch Number: WRSVFL-FL0827-0009755
Batch Date: 08/27/2026 09:48

Sample Analysis
Date/Time: 08/29/2026 18:59
Tech: 4509
SOP: SOP 405-FL
Instrument: GCMS-HS - 3015
Initial Weight: 0.102 g
Final Weight: 0.102 g
Dilution Factor for Sample: 1

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	<0.670	Passed
Acetone	2.0	20.0	750.0	**2.84 ***	Passed
Acetonitrile	2.0	20.0	60.0	<2.00	Passed
Benzene	0.2	0.4	1.0	<0.200	Passed
Butane	10.0	20.0	5,000.0	**55.9**	Passed
Chloroform	0.2	0.4	2.0	<0.200	Passed
Ethanol	20.0	40.0	5,000.0	**28.2 ***	Passed
Ethyl Acetate	2.0	20.0	400.0	**2.37 ***	Passed
Ethyl Ether	20.0	40.0	500.0	<20.0	Passed
Ethylene Oxide	0.7	2.0	5.0	<0.670	Passed
Heptane	20.0	40.0	5,000.0	<20.0	Passed
Hexanes	4.0	8.0	250.0	<4.00	Passed
Isopropyl Alcohol	20.0	40.0	500.0	<20.0	Passed
Methanol	20.0	40.0	250.0	<20.0	Passed
Methylene Chloride	20.0	40.0	125.0	<20.0	Passed
Pentanes	6.7	13.3	750.0	<6.67	Passed
Propane	2.0	20.0	5,000.0	<2.00	Passed
Toluene	2.0	20.0	150.0	<2.00	Passed
Trichloroethylene	1.0	2.0	25.0	<1.00	Passed
Total Xylenes			150.0	<5.00	Passed
1,1-Dichloroethene	0.7	2.0	8.0	<0.670	Passed

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Mycotoxins

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0827-0009811
Batch Date: 08/27/2026 16:42

Sample Analysis
Date/Time: 08/29/2026 18:47
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998
Initial Weight: 0.11 g
Final Weight: 0.11 g
Dilution Factor for Sample: 2.5

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.827	9.132	20.000	<1.83	Passed
B2	1.827	9.132	20.000	<1.83	Passed
G1	1.827	9.132	20.000	<1.83	Passed
G2	1.827	9.132	20.000	<1.83	Passed
Ochratoxin A	1.826	9.132	20.000	<1.83	Passed

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Heavy Metals

Pass

Sample Prep

Tech: 4509
SOP: SOP 428-FL
Batch Number: WMTLFL-FL0827-0009818
Batch Date: 08/27/2026 17:09

Sample Analysis

Date/Time: 08/27/2026 17:24
Tech: 4509
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Initial Weight: 0.08 g
Final Weight: 0.08 g
Dilution Factor for Sample: 15

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	7.726	70.666	200.000	**33.4** *	Passed
Cadmium	5.088	70.666	200.000	**11.9** *	Passed
Mercury	5.653	70.666	200.000	<5.65	Passed
Nickel	72.927	211.998	500.000	<72.9	Passed
Lead	5.088	211.998	500.000	**80.1** *	Passed
Tin	212.940	282.663	4,000.000	**635**	Passed

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory ♦ Tin and Nickel pending accreditation.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Pesticides

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0827-0009811
Batch Date: 08/27/2026 16:42

Sample Analysis
Date/Time: 08/29/2026 18:47
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3017
Initial Weight: 0.644 g
Final Weight: 0.644 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.020	0.100	<0.00797	Passed
Acephate	0.009	0.023	0.100	<0.00913	Passed
Acequinocyl	0.009	0.023	0.100	<0.00913	Passed
Acetamiprid	0.002	0.009	0.100	<0.00228	Passed
Aldicarb	0.005	0.018	0.100	<0.00457	Passed
Azoxystrobin	0.002	0.009	0.100	<0.00228	Passed
Bifenazate	0.002	0.009	0.100	<0.00228	Passed
Bifenthrin	0.009	0.023	0.100	<0.00913	Passed
Boscalid	0.011	0.046	0.100	<0.0114	Passed
Carbaryl	0.005	0.009	0.500	<0.00457	Passed
Carbofuran	0.002	0.009	0.100	<0.00228	Passed
Chlorantraniliprole	0.002	0.009	1.000	<0.00228	Passed
Chlorpyrifos	0.009	0.023	0.100	<0.00913	Passed
Clofentezine	0.009	0.023	0.200	<0.00913	Passed
Coumaphos	0.010	0.050	0.100	<0.0100	Passed
Cyfluthrin	0.010	0.100	0.500	<0.0100	Passed
Cypermethrin	0.010	0.100	0.500	<0.0100	Passed
Daminozide	0.009	0.023	0.100	<0.00913	Passed
Diazinon	0.002	0.009	0.100	<0.00228	Passed
Dichlorvos	0.009	0.023	0.100	<0.00913	Passed
Dimethoate	0.002	0.009	0.100	<0.00228	Passed
Dimethomorph	0.003	0.010	0.200	<0.00251	Passed
Ethoprophos	0.002	0.009	0.100	<0.00228	Passed
Etofenprox	0.002	0.009	0.100	<0.00228	Passed
Etoxazole	0.002	0.009	0.100	<0.00228	Passed
Fenhexamid	0.009	0.046	0.100	<0.00913	Passed
Fenoxycarb	0.002	0.009	0.100	<0.00228	Passed
Fenpyroximate	0.002	0.018	0.100	<0.00228	Passed
Fipronil	0.002	0.009	0.100	<0.00228	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182
Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12
Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Flonicamid	0.005	0.018	0.100	<0.00457	Passed
Fludioxonil	0.005	0.009	0.100	<0.00457	Passed
Hexythiazox	0.005	0.018	0.100	<0.00457	Passed
Imazalil	0.009	0.023	0.100	<0.00913	Passed
Imidacloprid	0.023	0.114	0.400	<0.0228	Passed
Kresoxim Methyl	0.005	0.009	0.100	<0.00457	Passed
Malathion	0.018	0.046	0.200	<0.0183	Passed
Mevinphos	0.008	0.021	0.100	<0.00822	Passed
Metalaxyl	0.002	0.009	0.100	<0.00228	Passed
Methiocarb	0.002	0.009	0.100	<0.00228	Passed
Methomyl	0.002	0.009	0.100	<0.00228	Passed
Myclobutanil	0.005	0.023	0.100	<0.00457	Passed
Naled	0.018	0.023	0.250	<0.0183	Passed
Oxamyl	0.002	0.009	0.500	<0.00228	Passed
Paclobutrazol	0.002	0.009	0.100	<0.00228	Passed
Permethrin	0.009	0.023	0.100	<0.00913	Passed
Phosmet	0.005	0.023	0.100	<0.00457	Passed
Piperonyl Butoxide	0.002	0.009	3.000	<0.00228	Passed
Prallethrin	0.009	0.023	0.100	<0.00913	Passed
Propiconazole	0.009	0.023	0.100	<0.00913	Passed
Propoxur	0.002	0.009	0.100	<0.00228	Passed
Pyrethrins	0.030	0.061	0.500	<0.0304	Passed
Pyridaben	0.002	0.009	0.200	<0.00228	Passed
Spinetoram	0.007	0.016	0.200	<0.00653	Passed
Spinosyn AD	0.009	0.039	0.100	<0.00913	Passed
Spiromesifen	0.002	0.009	0.100	<0.00228	Passed
Spirotetramat	0.005	0.023	0.100	<0.00457	Passed
Spiroxamine	0.002	0.009	0.100	<0.00228	Passed
Tebuconazole	0.009	0.023	0.100	<0.00913	Passed
Thiacloprid	0.002	0.009	0.100	<0.00228	Passed
Thiamethoxam	0.002	0.009	0.500	<0.00228	Passed
Trifloxystrobin	0.002	0.009	0.100	<0.00228	Passed
Methyl Parathion	0.010	0.020	0.100	<0.0100	Passed
Chlordane	0.010	0.020	0.100	<0.0100	Passed
Chlorfenapyr	0.010	0.020	0.100	<0.0100	Passed
Chlormequat Chloride	0.002	0.009	1.000	<0.00228	Passed
Pentachloronitrobenzene	0.010	0.050	0.150	<0.0100	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0826-0016483
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0826-CLRE-0009182

Regulator Sample ID: 4960534744823739
Cultivar: Facetz #12 , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 Units
Batch Size Weight: 578 g , Batch Creation Date: 08/13/2026
Batch#: LS130826-2526FC , LOT ID: 0826034795992526
Harvest Batch#: LS130826-2526FC , Harvest Batch Created: 08/13/2026
Date Sampled: 08/26/2026 15:39 - Sample Received: 08/26/2026 15:44 - Report Created: 08/30/2026 21:51
COA Expiration Date: 08/26/2027

MMTC Information

Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Live Resin Sugar - 1g - Facetz #12

Concentrates & Extracts, Live Resin

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
578 units

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.