Certificate of Analysis

Compliance

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967

Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027

MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts

Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units



Results

84.4 % D9-THC	**3.44 %** CBG
0 % Total CBD	**84.4 %** Total THC
88.3 % Total Cannabinoids	**1.81%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Water Activity Pass	**Foreign Matter** Pass	**Homogeneity** Not Tested
Terpenes Tested	**Contaminant Load** Pass	**Residual Solvents** Pass
Mycotoxins Pass	**Heavy Metals** Pass	**Pesticides** Pass
Kratom Not Tested		

Dominant Terpenes





ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Cannabinoids

Tested

Sample Prep
Tech: 4514, 4521
SOP: SOP 801
Batch Number: WCNDFL-FL0818-0009224
Batch Date: 08/18/2026 10:24

Sample Analysis
Date/Time: 08/19/2026 16:24
Tech: 4521
SOP: SOP 801
Instrument: HPLC - 3012
Initial Weight: 0.229 g
Final Weight: 0.229 g
Dilution Factor for Sample: 2,051.5

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.08943	4.47145	<0.00894	<0.0894	<0.0447
CBDa	0.67966	4.47145	<0.0680	<0.680	<0.340
CBGa	0.33625	4.47145	<0.0336	<0.336	<0.168
CBG	0.73153	4.47145	**3.44**	**34.4**	**17.2**
CBD	1.24306	4.47145	**0.129 ***	**1.29 ***	**0.644 ***
THCV	0.28975	4.47145	**0.521**	**5.21**	**2.61**
THCVa	0.24146	4.47145	<0.0241	<0.241	<0.121
CBN	0.13146	4.47145	**0.217 ***	**2.17 ***	**1.09 ***
D8-THC	0.75210	4.47145	<0.0752	<0.752	<0.376
D9-THC	0.64747	4.47145	**84.4**	**844**	**422**
CBC	0.48381	4.47145	**0.266 ***	**2.66 ***	**1.33 ***
THCa	0.73868	4.47145	<0.0739	<0.739	<0.369
CBCa	1.22607	4.47145	<0.123	<1.23	<0.613
Total CBD			**0.00**	**0.00**	**0.00**
Total THC			**84.4**	**844**	**422**
Total Cannabinoids			**88.3**	**883**	**442**

Report Notes:
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD. *Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. Unless otherwise stated all quality control samples performed within specification established by the Laboratory. The expanded measurement of uncertainty for D9-THC has been determined to be 4.4%. Therefore any samples that have a dry weight concentration of up to 0.3132% are determined to be within the acceptable hemp D9-THC concentration of 0.3% or less.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Microbials

Pass

Sample Prep
Tech: 4516
SOP: SOP 406-FL
Batch Number: WINCFL-FL0817-0009197
Batch Date: 08/17/2026 17:31

Sample Analysis
Date/Time: 08/20/2026 13:07
Tech: 4302
SOP: SOP 406-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835
Initial Weight: 2.007 g
Final Weight: 2.007 g
Dilution Factor for Sample: 10

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	None Present	Absence	Passed
Aspergillus Flavus	None Present	Absence	Passed
Aspergillus Fumigatus	None Present	Absence	Passed
Aspergillus Niger	None Present	Absence	Passed
Aspergillus Terreus	None Present	Absence	Passed
STEC E. Coli	None Present	Absence	Passed

Report Notes:
TNTC = Too Numerous to Count, ND = Not Detected; Unless otherwise stated all quality control samples performed within specification established by the Laboratory ♦ Listeria species pending accreditation.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Water Activity

Pass

Sample Prep

Tech: 4524
SOP: SOP 407-FL
Batch Number: WMWAFL-FL0818-0009256
Batch Date: 08/18/2026 14:15

Sample Analysis

Date/Time: 08/18/2026 17:07
Tech: 4509
SOP: SOP 407-FL
Instrument: Rotronic Water Activity Meter - 3530 / MOC63u Balance - 2900
Initial Weight: 1.09 g
Final Weight: 1.09 g

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	**0.44**	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Foreign Matter

Pass

Sample Prep/Analysis
Tech: 4302
SOP: SOP 409-FL
Batch Date: 08/19/2026 15:57

Sample Analysis
Date/Time: 08/20/2026 19:53
Tech: 4509
SOP: SOP 409-FL
Initial Weight: 14.5 g
Final Weight: 14.5 g

Analyte	Limit (%)	%	Status
FM Weight	1	0.00	Passed
FM Sample Area	10	0.00	Passed
Feces, Mold, Mildew, and/or Fungus	0	Absence	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Terpenes

Tested

Sample Prep

Tech: 3358, 4521
SOP: SOP 419-FL
Batch Number: WLTRFL-FL0818-0009231
Batch Date: 08/18/2026 11:26

Sample Analysis

Date/Time: 08/19/2026 13:16
Tech: 4521
SOP: SOP 419-FL
Instrument: GC-FID - 2893
Initial Weight: 0.513 g
Final Weight: 0.513 g
Dilution Factor for Sample: 10

Analyte	LOD (%)	LOQ (%)	%
Total Terpenes			**1.81**
b-Caryophyllene	0.001	0.003	**0.644**
a-Bisabolol	0.001	0.003	**0.328**
a-Humulene	0.001	0.003	**0.228**
Terpineol	0.001	0.003	**0.131**
Linalool	0.001	0.003	**0.125**
Fenchol	0.001	0.003	**0.0850**
trans-Nerolidol	0.001	0.003	**0.0750**
a-Cedrene	0.001	0.003	**0.0550**
Caryophyllene Oxide	0.001	0.003	**0.0390**
Guaiol	0.001	0.003	**0.0330**
Limonene	0.001	0.003	**0.0170**
Borneol	0.001	0.003	**0.0130**
Terpinolene	0.001	0.003	**0.0120**
b-Myrcene	0.001	0.003	**0.00800**
DL-Menthol	0.001	0.003	**0.00600**
Geraniol	0.001	0.003	**0.00600**
Fenchone	0.001	0.003	**0.00500**
b-Pinene	0.001	0.003	**0.00300**
a-Pinene	0.001	0.003	< LOQ
Camphene	0.001	0.003	ND
a-Phellandrene	0.001	0.003	< LOQ
d-3-Carene	0.001	0.003	< LOQ
a-Terpinene	0.001	0.003	< LOQ
Eucalyptol	0.001	0.003	< LOQ
g-Terpinene	0.001	0.003	< LOQ
Sabinene Hydrate	0.001	0.003	< LOQ
Isopulegol	0.001	0.003	ND
Camphor	0.001	0.003	< LOQ

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967

Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027

MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts

Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Analyte	LOD (%)	LOQ (%)	%
Isoborneol	0.001	0.003	ND
Nerol	0.001	0.003	ND
Pulegone	0.001	0.003	ND
Geranyl Acetate	0.001	0.003	ND
Valencene	0.001	0.003	ND
cis-Nerolidol	0.001	0.003	ND
Cedrol	0.001	0.003	ND
trans-b-Ocimene	0.001	0.003	< LOQ
cis-b-Ocimene	0.001	0.003	ND

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. The reported result is based on a sample weight with the applicable moisture content for that sample. Unless otherwise stated all quality control samples performed within specification established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Contaminant Load

Pass

Sample Prep/Analysis
Tech: 4521
SOP: SOP 424-FL & SOP 428-FL
Batch Date: 08/17/2026 15:51

Analyte	Limit (ppm)	ppm	Status
Total Contaminant Load	5	0.00	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Residual Solvents

Pass

Sample Prep
Tech: 3358, 4521
SOP: SOP 405-FL
Batch Number: WRSVFL-FL0819-0009267
Batch Date: 08/18/2026 21:17

Sample Analysis
Date/Time: 08/19/2026 15:53
Tech: 4521
SOP: SOP 405-FL
Instrument: GCMS-HS - 3015
Initial Weight: 0.109 g
Final Weight: 0.109 g
Dilution Factor for Sample: 1

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	<0.670	Passed
Acetone	2.0	20.0	750.0	**4.14** *	Passed
Acetonitrile	2.0	20.0	60.0	<2.00	Passed
Benzene	0.2	0.4	1.0	<0.200	Passed
Butane	10.0	20.0	5,000.0	<10.0	Passed
Chloroform	0.2	0.4	2.0	<0.200	Passed
Ethanol	20.0	40.0	5,000.0	**202**	Passed
Ethyl Acetate	2.0	20.0	400.0	**31.4**	Passed
Ethyl Ether	20.0	40.0	500.0	<20.0	Passed
Ethylene Oxide	0.7	2.0	5.0	<0.670	Passed
Heptane	20.0	40.0	5,000.0	<20.0	Passed
Hexanes	4.0	8.0	250.0	<4.00	Passed
Isopropyl Alcohol	20.0	40.0	500.0	<20.0	Passed
Methanol	20.0	40.0	250.0	<20.0	Passed
Methylene Chloride	20.0	40.0	125.0	<20.0	Passed
Pentanes	6.7	13.3	750.0	<6.67	Passed
Propane	2.0	20.0	5,000.0	<2.00	Passed
Toluene	2.0	20.0	150.0	<2.00	Passed
Trichloroethylene	1.0	2.0	25.0	<1.00	Passed
Total Xylenes			150.0	<5.00	Passed
1,1-Dichloroethene	0.7	2.0	8.0	<0.670	Passed

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Mycotoxins

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0818-0009227
Batch Date: 08/18/2026 10:47

Sample Analysis
Date/Time: 08/19/2026 14:15
Tech: 4521
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998
Initial Weight: 0.108 g
Final Weight: 0.108 g
Dilution Factor for Sample: 2.5

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.843	9.217	20.000	<1.84	Passed
B2	1.843	9.217	20.000	<1.84	Passed
G1	1.843	9.217	20.000	<1.84	Passed
G2	1.843	9.217	20.000	<1.84	Passed
Ochratoxin A	1.843	9.217	20.000	<1.84	Passed

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Heavy Metals

Pass

Sample Prep
Tech: 4509
SOP: SOP 428-FL
Batch Number: WMTLFL-FL0818-0009207
Batch Date: 08/17/2026 20:31

Sample Analysis
Date/Time: 08/21/2026 17:50
Tech: 4509
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Initial Weight: 0.062 g
Final Weight: 0.062 g
Dilution Factor for Sample: 15

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	9.840	90.000	200.000	<9.84	Passed
Cadmium	6.480	90.000	200.000	**7.20** *	Passed
Mercury	7.200	90.000	200.000	<7.20	Passed
Nickel	92.987	270.000	500.000	<93.0	Passed
Lead	6.480	270.000	500.000	<6.48	Passed
Tin	271.113	360.000	4,000.000	<271	Passed

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory ♦ Tin and Nickel pending accreditation.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Pesticides

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0818-0009227
Batch Date: 08/18/2026 10:47

Sample Analysis
Date/Time: 08/19/2026 14:15
Tech: 4521
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3017
Initial Weight: 0.619 g
Final Weight: 0.619 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.020	0.100	<0.00804	Passed
Acephate	0.009	0.023	0.100	<0.00922	Passed
Acequinocyl	0.009	0.023	0.100	<0.00922	Passed
Acetamiprid	0.002	0.009	0.100	<0.00230	Passed
Aldicarb	0.005	0.018	0.100	<0.00461	Passed
Azoxystrobin	0.002	0.009	0.100	<0.00230	Passed
Bifenazate	0.002	0.009	0.100	<0.00230	Passed
Bifenthrin	0.009	0.023	0.100	<0.00922	Passed
Boscalid	0.012	0.046	0.100	<0.0115	Passed
Carbaryl	0.005	0.009	0.500	<0.00461	Passed
Carbofuran	0.002	0.009	0.100	<0.00230	Passed
Chlorantraniliprole	0.002	0.009	1.000	<0.00230	Passed
Chlorpyrifos	0.009	0.023	0.100	<0.00922	Passed
Clofentezine	0.009	0.023	0.200	<0.00922	Passed
Coumaphos	0.010	0.050	0.100	<0.0100	Passed
Cyfluthrin	0.010	0.100	0.500	<0.0100	Passed
Cypermethrin	0.010	0.100	0.500	<0.0100	Passed
Daminozide	0.009	0.023	0.100	<0.00922	Passed
Diazinon	0.002	0.009	0.100	<0.00230	Passed
Dichlorvos	0.009	0.023	0.100	<0.00922	Passed
Dimethoate	0.002	0.009	0.100	<0.00230	Passed
Dimethomorph	0.003	0.010	0.200	<0.00253	Passed
Ethoprophos	0.002	0.009	0.100	<0.00230	Passed
Etofenprox	0.002	0.009	0.100	<0.00230	Passed
Etoxazole	0.002	0.009	0.100	<0.00230	Passed
Fenhexamid	0.009	0.046	0.100	<0.00922	Passed
Fenoxycarb	0.002	0.009	0.100	<0.00230	Passed
Fenpyroximate	0.002	0.018	0.100	<0.00230	Passed
Fipronil	0.002	0.009	0.100	<0.00230	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967
Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts
Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Flonicamid	0.005	0.018	0.100	<0.00461	Passed
Fludioxonil	0.005	0.009	0.100	<0.00461	Passed
Hexythiazox	0.005	0.018	0.100	<0.00461	Passed
Imazalil	0.009	0.023	0.100	<0.00922	Passed
Imidacloprid	0.023	0.115	0.400	<0.0230	Passed
Kresoxim Methyl	0.005	0.009	0.100	<0.00461	Passed
Malathion	0.018	0.046	0.200	<0.0184	Passed
Mevinphos	0.008	0.021	0.100	<0.00829	Passed
Metalaxyl	0.002	0.009	0.100	<0.00230	Passed
Methiocarb	0.002	0.009	0.100	<0.00230	Passed
Methomyl	0.002	0.009	0.100	<0.00230	Passed
Myclobutanil	0.005	0.023	0.100	<0.00461	Passed
Naled	0.018	0.023	0.250	<0.0184	Passed
Oxamyl	0.002	0.009	0.500	<0.00230	Passed
Paclobutrazol	0.002	0.009	0.100	<0.00230	Passed
Permethrin	0.009	0.023	0.100	<0.00922	Passed
Phosmet	0.005	0.023	0.100	<0.00461	Passed
Piperonyl Butoxide	0.002	0.009	3.000	<0.00230	Passed
Prallethrin	0.009	0.023	0.100	<0.00922	Passed
Propiconazole	0.009	0.023	0.100	<0.00922	Passed
Propoxur	0.002	0.009	0.100	<0.00230	Passed
Pyrethrins	0.031	0.061	0.500	<0.0306	Passed
Pyridaben	0.002	0.009	0.200	<0.00230	Passed
Spinetoram	0.007	0.016	0.200	<0.00659	Passed
Spinosyn AD	0.009	0.039	0.100	<0.00922	Passed
Spiromesifen	0.002	0.009	0.100	<0.00230	Passed
Spirotetramat	0.005	0.023	0.100	<0.00461	Passed
Spiroxamine	0.002	0.009	0.100	<0.00230	Passed
Tebuconazole	0.009	0.023	0.100	<0.00922	Passed
Thiacloprid	0.002	0.009	0.100	<0.00230	Passed
Thiamethoxam	0.002	0.009	0.500	<0.00230	Passed
Trifloxystrobin	0.002	0.009	0.100	<0.00230	Passed
Methyl Parathion	0.010	0.020	0.100	<0.0100	Passed
Chlordane	0.010	0.020	0.100	<0.0100	Passed
Chlorfenapyr	0.010	0.020	0.100	<0.0100	Passed
Chlormequat Chloride	0.002	0.009	1.000	<0.00230	Passed
Pentachloronitrobenzene	0.010	0.050	0.150	<0.0100	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0817-0016236
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0817-CVAP-0008967

Regulator Sample ID: 8088776126387370
Cultivar: Gsh Mnts , Unit Weight: .5000g , Sample Size for Testing: 30.0000 g
Batch Size Weight: 837.5 g , Batch Creation Date: 08/14/2026
Batch#: MPV200326-8024GSM , LOT ID: 8590683074568024
Harvest Batch#: MPV200326-8024GSM , Harvest Batch Created: 08/14/2026
Date Sampled: 08/17/2026 15:30 - Sample Received: 08/17/2026 15:51 - Report Created: 08/21/2026 18:16
COA Expiration Date: 08/17/2027

MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV Plus - 0.5g - Gsh Mnts

Concentrates & Extracts, Vape

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,675 units

Report Notes:
*Value is above the Limit of Detection (LOD) but below the Limit of Quantitation (LOQ); result is reported as an estimate. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.