Certificate of Analysis

Compliance

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844

Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027


MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas

Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units




Results

75.3 % D9-THC	**3.41 %** CBG
0 % Total CBD	**75.3 %** Total THC
78.8 % Total Cannabinoids	**3.16%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Water Activity Pass	**Foreign Matter** Pass	**Homogeneity** Not Tested
Terpenes Tested	**Contaminant Load** Pass	**Residual Solvents** Pass
Mycotoxins Pass	**Heavy Metals** Pass	**Pesticides** Pass
Kratom Not Tested	**Label Claim** Not Tested	

Dominant Terpenes



ACCREDITED
CERT #7425.05

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Cannabinoids

Tested

Sample Prep
Tech: 4514, 4521
SOP: SOP 801
Batch Number: WCNDFL-FL0716-0007445
Batch Date: 07/16/2026 18:56

Sample Analysis
Date/Time: 07/17/2026 19:15
Tech: 4521
SOP: SOP 801
Instrument: HPLC - 3012
Final Weight: 0.715 g
Dilution Factor for Sample: 2,051.5

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.08569	4.28467	<0.00857	<0.0857	<0.0857
CBDa	0.65127	4.28467	<0.0651	<0.651	<0.651
CBGa	0.32221	4.28467	<0.0322	<0.322	<0.322
CBG	0.70097	4.28467	**3.41**	**34.1**	**34.1**
CBD	1.19114	4.28467	<0.119	<1.19	<1.19
THCV	0.27765	4.28467	**0.338** *	**3.38** *	**3.38** *
THCVa	0.23137	4.28467	<0.0231	<0.231	<0.231
CBN	0.12597	4.28467	**0.0223** *	**0.223** *	**0.223** *
D8-THC	0.72068	4.28467	<0.0721	<0.721	<0.721
D9-THC	0.62042	4.28467	**75.3**	**753**	**753**
CBC	0.46360	4.28467	**0.0720** *	**0.720** *	**0.720** *
THCa	0.70783	4.28467	<0.0708	<0.708	<0.708
CBCa	1.17486	4.28467	<0.117	<1.17	<1.17
Total CBD			**0.00**	**0.00**	**0.00**
Total THC			**75.3**	**753**	**753**
Total Cannabinoids			**78.8**	**788**	**788**

Report Notes:
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation, ND = Not Detected, LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Microbials

Pass

Sample Prep

Tech: 4302, 4516
SOP: SOP 406-FL
Batch Number: WINCFL-FL0716-0007372
Batch Date: 07/15/2026 21:10

Sample Analysis

Date/Time: 07/18/2026 18:40
Tech: 4516, 4521
SOP: SOP 406-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835
Final Weight: 2.043 g
Dilution Factor for Sample: 10

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	0	Absence	Passed
Aspergillus Flavus	0	Absence	Passed
Aspergillus Fumigatus	0	Absence	Passed
Aspergillus Niger	0	Absence	Passed
Aspergillus Terreus	0	Absence	Passed
STEC E. Coli	0	Absence	Passed

Report Notes:
TNTC = Too Numerous to Count, ND = Not Detected; Unless otherwise stated all quality control samples performed within specification established by the Laboratory

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Water Activity

Pass

Sample Prep

Tech: 4513
SOP: SOP 407-FL
Batch Number: WMWAFL-FL0717-0007453
Batch Date: 07/16/2026 20:42

Sample Analysis

Date/Time: 07/17/2026 14:44
Tech: 4521
SOP: SOP 407-FL
Instrument: Rotronic Water Activity Meter - 3530 / MOC63u Balance - 2900
Final Weight: 1.004 g

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	**0.43**	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Foreign Matter

Pass

Sample Prep/Analysis
Tech: 4302
SOP: SOP 409-FL
Batch Date: 07/16/2026 13:10

Sample Analysis
Date/Time: 07/17/2026 16:55
Tech: 4521
SOP: SOP 409-FL
Final Weight: 24.5 g

Analyte	Limit (%)	%	Status
FM Weight	1	0.00	Passed
FM Sample Area	10	0.00	Passed
Feces, Mold, Mildew, and/or Fungus	0	Absence	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Terpenes

Tested

Sample Prep

Tech: 3358, 4521
SOP: SOP 419-FL
Batch Number: WLTRFL-FL0716-0007430
Batch Date: 07/16/2026 15:00

Sample Analysis

Date/Time: 07/17/2026 15:58
Tech: 4521
SOP: SOP 419-FL
Instrument: GC-FID - 2893
Final Weight: 0.547 g
Dilution Factor for Sample: 10

Analyte	LOD (%)	LOQ (%)	%
Total Terpenes			**3.16**
b-Caryophyllene	0.001	0.003	**1.14**
a-Cedrene	0.001	0.003	**0.580**
a-Humulene	0.001	0.003	**0.347**
Linalool	0.001	0.003	**0.230**
Fenchol	0.001	0.003	**0.224**
Terpineol	0.001	0.003	**0.187**
Geranyl Acetate	0.001	0.003	**0.117**
Limonene	0.001	0.003	**0.0730**
a-Bisabolol	0.001	0.003	**0.0670**
trans-Nerolidol	0.001	0.003	**0.0450**
Caryophyllene Oxide	0.001	0.003	**0.0260**
b-Myrcene	0.001	0.003	**0.0250**
Borneol	0.001	0.003	**0.0200**
Fenchone	0.001	0.003	**0.0180**
b-Pinene	0.001	0.003	**0.00800**
Terpinolene	0.001	0.003	**0.00800**
DL-Menthol	0.001	0.003	**0.00800**
trans-b-Ocimene	0.001	0.003	**0.00800**
Geraniol	0.001	0.003	**0.00700**
Sabinene Hydrate	0.001	0.003	**0.00600**
Guaiol	0.001	0.003	**0.00500**
d-3-Carene	0.001	0.003	**0.00400**
Eucalyptol	0.001	0.003	**0.00400**
Camphor	0.001	0.003	**0.00400**
a-Pinene	0.001	0.003	**0.00300**
Camphene	0.001	0.003	< LOQ
a-Phellandrene	0.001	0.003	ND
a-Terpinene	0.001	0.003	< LOQ
g-Terpinene	0.001	0.003	< LOQ

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844

Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027

MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas

Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Analyte	LOD (%)	LOQ (%)	%
Isopulegol	0.001	0.003	ND
Isoborneol	0.001	0.003	ND
Nerol	0.001	0.003	ND
Pulegone	0.001	0.003	ND
Valencene	0.001	0.003	ND
cis-Nerolidol	0.001	0.003	ND
Cedrol	0.001	0.003	ND
cis-b-Ocimene	0.001	0.003	ND

Report Notes:
LOQ = Limit of Quantitation, ND = Not Detected, LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Contaminant Load

Pass

Sample Prep/Analysis
Tech: 4521
SOP: SOP 424-FL & SOP 428-FL
Batch Date: 07/15/2026 16:18

Analyte	Limit (ppm)	ppm	Status
Total Contaminant Load	30	0.00	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Residual Solvents

Pass

Sample Prep
Tech: 3358, 4521
SOP: SOP 405-FL
Batch Number: WRSVFL-FL0716-0007371
Batch Date: 07/15/2026 20:50

Sample Analysis
Date/Time: 07/17/2026 15:51
Tech: 4521
SOP: SOP 405-FL
Instrument: GCMS-HS - 3015
Final Weight: 0.106 g
Dilution Factor for Sample: 1

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	<0.670	Passed
Acetone	2.0	20.0	750.0	**8.30** *	Passed
Acetonitrile	2.0	20.0	60.0	**2.61** *	Passed
Benzene	0.2	0.4	1.0	<0.200	Passed
Butane	10.0	20.0	5,000.0	<10.0	Passed
Chloroform	0.2	0.4	2.0	<0.200	Passed
Ethanol	20.0	40.0	5,000.0	**40.9**	Passed
Ethyl Acetate	2.0	20.0	400.0	<2.00	Passed
Ethyl Ether	20.0	40.0	500.0	<20.0	Passed
Ethylene Oxide	0.7	2.0	5.0	<0.670	Passed
Heptane	20.0	40.0	5,000.0	<20.0	Passed
Hexanes	4.0	8.0	250.0	<4.00	Passed
Isopropyl Alcohol	20.0	40.0	500.0	<20.0	Passed
Methanol	20.0	40.0	250.0	<20.0	Passed
Methylene Chloride	20.0	40.0	125.0	<20.0	Passed
Pentanes	6.7	13.3	750.0	<6.67	Passed
Propane	2.0	20.0	5,000.0	<2.00	Passed
Toluene	2.0	20.0	150.0	<2.00	Passed
Trichloroethylene	1.0	2.0	25.0	<1.00	Passed
Total Xylenes			150.0	<5.00	Passed
1,1-Dichloroethene	0.7	2.0	8.0	<0.670	Passed

Report Notes:
LOQ = Limit of Quantitation, ND = Not Detected, LOD = Limit of Detection

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Mycotoxins

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0716-0007446
Batch Date: 07/16/2026 18:57

Sample Analysis
Date/Time: 07/17/2026 15:48
Tech: 4521
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998
Final Weight: 0.104 g
Dilution Factor for Sample: 2.5

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.927	9.634	20.000	<1.93	Passed
B2	1.927	9.634	20.000	<1.93	Passed
G1	1.927	9.634	20.000	<1.93	Passed
G2	1.927	9.634	20.000	<1.93	Passed
Ochratoxin A	1.927	9.634	20.000	<1.93	Passed

Report Notes:
LOQ = Limit of Quantitation, ND = Not Detected, LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Heavy Metals

Pass

Sample Prep

Tech: 4513
SOP: SOP 428-FL
Batch Number: WMTLFL-FL0716-0007431
Batch Date: 07/16/2026 15:09

Sample Analysis

Date/Time: 07/17/2026 13:50
Tech: 4521
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Final Weight: 0.256 g
Dilution Factor for Sample: 500

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	20.100	100.000	1,500.000	<20.1	Passed
Cadmium	20.100	100.000	500.000	<20.1	Passed
Mercury	20.100	100.000	3,000.000	<20.1	Passed
Lead	20.100	250.000	500.000	<20.1	Passed

Report Notes:
LOQ = Limit of Quantitation, ND = Not Detected, LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL
Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844
Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027
MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas
Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Pesticides

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0716-0007446
Batch Date: 07/16/2026 18:57

Sample Analysis
Date/Time: 07/17/2026 15:48
Tech: 4521
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3017
Final Weight: 0.627 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.021	0.300	<0.00841	Passed
Acephate	0.010	0.024	3.000	<0.00963	Passed
Acequinocyl	0.010	0.024	2.000	<0.00963	Passed
Acetamiprid	0.002	0.010	3.000	<0.00241	Passed
Aldicarb	0.005	0.019	0.100	<0.00482	Passed
Azoxystrobin	0.002	0.010	3.000	<0.00241	Passed
Bifenazate	0.002	0.010	3.000	<0.00241	Passed
Bifenthrin	0.010	0.024	0.500	<0.00963	Passed
Boscalid	0.012	0.048	3.000	<0.0120	Passed
Carbaryl	0.005	0.010	0.500	<0.00482	Passed
Carbofuran	0.002	0.010	0.100	<0.00241	Passed
Chlorantraniliprole	0.002	0.010	3.000	<0.00241	Passed
Chlorpyrifos	0.010	0.024	0.100	<0.00963	Passed
Clofentezine	0.010	0.024	0.500	<0.00963	Passed
Coumaphos	0.010	0.050	0.100	<0.0100	Passed
Cyfluthrin	0.010	0.100	1.000	<0.0100	Passed
Cypermethrin	0.010	0.100	1.000	<0.0100	Passed
Daminozide	0.010	0.024	0.100	<0.00963	Passed
Diazinon	0.002	0.010	0.200	<0.00241	Passed
Dichlorvos	0.010	0.024	0.100	<0.00963	Passed
Dimethoate	0.002	0.010	0.100	<0.00241	Passed
Dimethomorph	0.003	0.011	3.000	<0.00265	Passed
Ethoprophos	0.002	0.010	0.100	<0.00241	Passed
Etofenprox	0.002	0.010	0.100	<0.00241	Passed
Etoxazole	0.002	0.010	1.500	<0.00241	Passed
Fenhexamid	0.010	0.048	3.000	<0.00963	Passed
Fenoxycarb	0.002	0.010	0.100	<0.00241	Passed
Fenpyroximate	0.002	0.019	2.000	<0.00241	Passed
Fipronil	0.002	0.010	0.100	<0.00241	Passed
Flonicamid	0.005	0.019	2.000	<0.00482	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844

Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027

MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas

Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Fludioxonil	0.005	0.010	3.000	<0.00482	Passed
Hexythiazox	0.005	0.019	2.000	<0.00482	Passed
Imazalil	0.010	0.024	0.100	<0.00963	Passed
Imidacloprid	0.024	0.120	3.000	<0.0241	Passed
Kresoxim Methyl	0.005	0.010	1.000	<0.00482	Passed
Malathion	0.019	0.048	2.000	<0.0193	Passed
Mevinphos	0.009	0.022	0.100	<0.00867	Passed
Metalaxyl	0.002	0.010	3.000	<0.00241	Passed
Methiocarb	0.002	0.010	0.100	<0.00241	Passed
Methomyl	0.002	0.010	0.100	<0.00241	Passed
Myclobutanil	0.005	0.024	3.000	<0.00482	Passed
Naled	0.019	0.024	0.500	<0.0193	Passed
Oxamyl	0.002	0.010	0.500	<0.00241	Passed
Paclobutrazol	0.002	0.010	0.100	<0.00241	Passed
Permethrin	0.010	0.024	1.000	<0.00963	Passed
Phosmet	0.005	0.024	0.200	<0.00482	Passed
Piperonyl Butoxide	0.002	0.010	3.000	<0.00241	Passed
Prallethrin	0.010	0.024	0.400	<0.00963	Passed
Propiconazole	0.010	0.024	1.000	<0.00963	Passed
Propoxur	0.002	0.010	0.100	<0.00241	Passed
Pyrethrins	0.032	0.064	1.000	<0.0320	Passed
Pyridaben	0.002	0.010	3.000	<0.00241	Passed
Spinetoram	0.007	0.017	3.000	<0.00689	Passed
Spinosyn AD	0.010	0.041	3.000	<0.00963	Passed
Spiromesifen	0.002	0.010	3.000	<0.00241	Passed
Spirotetramat	0.005	0.024	3.000	<0.00482	Passed
Spiroxamine	0.002	0.010	0.100	<0.00241	Passed
Tebuconazole	0.010	0.024	1.000	<0.00963	Passed
Thiacloprid	0.002	0.010	0.100	<0.00241	Passed
Thiamethoxam	0.002	0.010	1.000	<0.00241	Passed
Trifloxystrobin	0.002	0.010	3.000	<0.00241	Passed
Captan	0.010	0.100	3.000	<0.0100	Passed
Methyl Parathion	0.010	0.020	0.100	<0.0100	Passed
Chlordane	0.010	0.020	0.100	<0.0100	Passed
Chlorfenapyr	0.010	0.020	0.100	<0.0100	Passed
Chlormequat Chloride	0.002	0.010	3.000	<0.00241	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	<0.0100	Passed

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

MÜV - Verano FL

Order No.: OFLMVV0715-0015461
5909 N US Hwy 41
Florida, 33572
invoices-noreply@verano.com
8134894771
MMTC-2017-0010

Sample: SFLMVV0715-CRCE-0007844

Regulator Sample ID: 6079713420775030
Cultivar: Grpe Mnt Gas , Unit Weight: 1.0000g , Sample Size for Testing: 15.0000 g
Batch Size Weight: 1,035 g , Batch Creation Date: 06/16/2026
Batch#: RSO160626-1037GMG , LOT ID: 0613414168981037
Harvest Batch#: RSO160626-1037GMG , Harvest Batch Created: 06/16/2026
Date Sampled: 07/15/2026 10:21 - Sample Received: 07/15/2026 16:18 - Report Created: 07/18/2026 18:47
COA Expiration Date: 07/15/2027

MMTC Information
Cultivation Facility: MuV - Ruskin, Processing Facility: MuV - Ruskin
Sample Collection Facility: MuV - Ruskin

MUV RSO Syringe - 1g - Grpe Mnt Gas

Concentrates & Extracts, RSO

TESTING SAMPLE MATRIX:
Derivative Product intended for inhalation

TOTAL UNITS IN BATCH:
1,035 units

Report Notes:
LOQ = Limit of Quantitation, ND = Not Detected, LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.