



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2505SMAZ0684.1957  
 Batch #: 250505SGBDRSO



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 12858

## Savvy Guap RSO Gummy Berry Drip

Batch #: 250505SGBDRSO	Sample ID: 2505SMAZ0684.1957
Strain: Indica Blend	Amount Received: 22.6 g
Parent Batch #: 241125RSOI	Sample Type: Soft Chew
Production Method: Alcohol	Sample Collected: 05/06/2025 13:09:00
Harvest Date: 11/25/2024	Manufacture Date: 05/05/2025
Received: 05/06/2025	Published: 05/13/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

<b>Cannabinoid Profile (Q3)</b> <b>Tested</b>	<b>Microbial Contaminants</b> <b>Pass</b>	<b>Residual Solvents</b> <b>Not Tested</b>	<b>10.804 mg/serving</b> <b>108.039 mg/container</b> <b>Total THC</b>
<b>Pesticides, Fungicides, and Growth Regulators</b> <b>Not Tested</b>	<b>Mycotoxins</b> <b>Not Tested</b>	<b>Heavy Metals</b> <b>Not Tested</b>	<b>0.028 mg/serving</b> <b>0.282 mg/container</b> <b>Total CBD</b>

### Additional Analytes (Not Regulated)

<b>Terpenes Total (Q3)</b> <b>Not Tested</b>	<b>Moisture Analysis (Q3)</b> <b>Not Tested</b>	<b>Water Activity (Q3)</b> <b>Not Tested</b>	<b>0.082 mg/serving</b> <b>0.825 mg/container</b> <b>CBN</b>
<b>Filth &amp; Foreign (Q3)</b> <b>Not Tested</b>	<b>Homogeneity (Q3)</b> <b>Not Tested</b>	<b>Additional Microbial Contaminants (Q3)</b> <b>Not Tested</b>	<b>0.377 mg/serving</b> <b>3.774 mg/container</b> <b>CBG</b>
			<b>11.463 mg/serving</b> <b>114.627 mg/container</b> <b>Total Cannabinoids (Q3)</b>

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2505SMAZ0684.1957  
 Batch #: 250505SGBDRSO



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 12858

**Cannabinoid Profile**

HPLC                      **Tested**

**Sample Prep**  
 Batch Date: 05/07/2025  
 SOP: 418.AZ  
 Batch Number: 3217  
 Test ID: 64265

**Sample Analysis**  
 Date: 05/07/2025  
 SOP: 417.AZ - HPLC  
 Sample Weight: 1.010 g  
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.006	0.019	2	0.010	0.100	0.113	1.130	
CBD	0.006	0.019	2	0.003	0.025	0.028	0.282	
CBDA	0.006	0.019	2	ND	ND	ND	ND	
CBDV	0.006	0.019	2	ND	ND	ND	ND	
CBG	0.006	0.019	2	0.033	0.334	0.377	3.774	
CBGA	0.006	0.019	2	ND	ND	ND	ND	
CBN	0.006	0.019	2	0.007	0.073	0.082	0.825	
d8-THC	0.006	0.019	2	ND	ND	ND	ND	
d9-THC	0.006	0.019	2	0.956	9.561	10.804	108.039	
THCA	0.006	0.019	2	ND	ND	ND	ND	
THCV	0.006	0.019	2	0.005	0.051	0.058	0.576	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.956	9.561	10.804	108.039	
Total CBD	0.003	0.025	0.028	0.282	
Total Cannabinoids	1.014	10.144	11.463	114.627	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
 Serving Weight: 1.13 None; Servings/Package: 10

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2505SMAZ0684.1957  
 Batch #: 250505SGBDRSO



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 12858

**Microbial Analysis**  
**Pass**

**Sample Prep**

Batch Date: 05/07/2025  
 SOP: 412.AZ  
 Batch Number: 3221  
 Test ID: 64271

**Sample Analysis**

Date: 05/08/2025  
 SOP: 412.AZ - 3M Petrifilm  
 Sample Weight: 1.074 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10CFU/g	< 10CFU/g	Pass	

**Sample Prep**

Batch Date: 05/07/2025  
 SOP: 406.AZ  
 Batch Number: 3220  
 Test ID: 64273

**Sample Analysis**

Date: 05/08/2025  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2505SMAZ0684.1957  
 Batch #: 250505SGBDRSO



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 12858

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2505SMAZ0684.1957  
 Batch #: 250505SGBDRSO



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 12858


**Notes:** 5/13/2025 Revision:  
 Manufacture date revised from "05/05/2024" to "05/05/2025"



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI




**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

## RSO

Batch #: 241125RSOI  
 Strain: Indica Blend  
 Parent Batch #:  
 Production Method: Alcohol  
 Harvest Date: 11/11/2024  
 Received: 12/02/2024

Sample ID: 2412SMAZ1494.4476  
 Amount Received: 7.7 g  
 Sample Type: RSO  
 Sample Collected: 12/02/2024 13:07:00  
 Manufacture Date: 11/25/2024  
 Published: 12/05/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>85.195%</b> Total THC
<b>0.215%</b> Total CBD
<b>0.734%</b> CBN
<b>2.807%</b> CBG
<b>90.366%</b> Total Cannabinoids (Q3)

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

**Cannabinoid Profile**

HPLC Tested

**Sample Prep**

Batch Date: 12/03/2024  
 SOP: 418.AZ  
 Batch Number: 2307

**Sample Analysis**

Date: 12/03/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.0404 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.319	0.967	1	0.951	9.514	
CBD	0.319	0.967	1	0.215	2.150	
CBDA	0.319	0.967	1	ND	ND	
CBDV	0.319	0.967	1	ND	ND	
CBG	0.319	0.967	1	2.807	28.065	
CBGA	0.319	0.967	1	ND	ND	
CBN	0.319	0.967	1	0.734	7.336	
d8-THC	0.319	0.967	1	ND	ND	
d9-THC	0.319	0.967	1	85.195	851.953	
THCA	0.319	0.967	1	ND	ND	
THCV	0.319	0.967	1	0.464	4.642	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	85.195	851.953	
Total CBD	0.215	2.150	
Total Cannabinoids	90.366	903.659	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

**Terpene Total**

GC-FID      **Tested (0.1388%)**


**Sample Prep**

Batch Date: 12/03/2024  
 SOP: 419  
 Batch Number: 2308

**Sample Analysis**

Date: 12/04/2024  
 SOP: 419 - GC-FID  
 Sample Weight: 0.436 g  
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0358	Q3	gamma-Terpinene	0.0009 / 0.0028	1	ND	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	ND	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.0144	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.0039	Q3
alpha-Pinene	0.0009 / 0.0028	1	ND	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	ND	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	ND	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	ND	Q3	Limonene	0.0009 / 0.0028	1	ND	Q3
Borneol	0.0009 / 0.0028	1	ND	Q3	Linalool	0.0009 / 0.0028	1	0.0045	Q3
Camphene	0.0009 / 0.0028	1	ND	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0113	Q3	Terpineol	0.0009 / 0.0028	1	0.0062	Q3
Cedrol	0.0009 / 0.0028	1	0.0096	Q3	Terpinolene	0.0009 / 0.0028	1	ND	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.0532	Q3
cis-Ocimene	0.0009 / 0.0028	1	ND	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	ND	Q3	trans-Ocimene	0.0009 / 0.0028	1	ND	Q3
Eucalyptol	0.0009 / 0.0028	1	ND	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	ND	Q3					



**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

**Microbial Analysis**  
 Pass

**Sample Prep**

Batch Date: 12/03/2024  
 SOP: 412.AZ  
 Batch Number: 2304

**Sample Analysis**

Date: 12/04/2024  
 SOP: 412.AZ - 3M Petrifilm  
 Sample Weight: 1.074 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 12/03/2024  
 SOP: 406.AZ  
 Batch Number: 2303

**Sample Analysis**

Date: 12/04/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 12/03/2024  
 SOP: 406.AZ  
 Batch Number: 2303

**Sample Analysis**

Date: 12/04/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

**Residual Solvents**

HS-GC-MS                      **Pass**

**Sample Prep**  
 Batch Date: 12/04/2024  
 SOP: 405.AZ  
 Batch Number: 2315

**Sample Analysis**  
 Date: 12/05/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.0525 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	63 / 190	1	1000	ND		Heptane	318 / 952	1	5000	ND	
Acetonitrile	27 / 78	1	410	ND		Hexanes	46 / 138	1	290	ND	
Benzene	0.13 / 0.38	1	2	ND		Isopropyl acetate	318 / 952	1	5000	ND	
Butanes	158 / 476	1	5000	ND		Methanol	190 / 571	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	318 / 952	1	5000	ND	
Dichloromethane	38 / 114	1	600	ND		2-Propanol (IPA)	318 / 952	1	5000	ND	
Ethanol	318 / 952	1	5000	ND		Toluene	57 / 170	1	890	ND	
Ethyl acetate	318 / 952	1	5000	ND		Xylenes	276 / 827	1	2170	ND	
Ethyl ether	318 / 952	1	5000	ND							

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 12/04/2024  
 SOP: 428.AZ  
 Batch Number: 2313

**Sample Analysis**  
 Date: 12/04/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.234 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.051	0.171	10	0.4	ND	
Cadmium	0.051	0.171	10	0.4	ND	
Lead	0.051	0.427	10	1	ND	
Mercury	0.051	0.085	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 12/03/2024  
 SOP: 432.AZ  
 Batch Number: 2309

**Sample Analysis**  
 Date: 12/05/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.515 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.88	9.71	1	20	ND	M2 V1
Aflatoxin B1	3.88	9.71	1		ND	
Aflatoxin B2	3.88	9.71	1		ND	I1, V1
Aflatoxin G1	3.88	9.71	1		ND	
Aflatoxin G2	3.88	4.85	1		ND	I1, M2
Ochratoxin A	9.71	9.71	1	20	ND	I1, L1 M2 V1

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 12/03/2024  
 SOP: 432.AZ  
 Batch Number: 2309

**Sample Analysis**

Date: 12/05/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.515 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.243	1	0.5	ND	I1, M2	Hexythiazox	0.162 / 0.485	1	1	ND	M2
Acephate	0.065 / 0.194	1	0.4	ND		Imazalil	0.032 / 0.097	1	0.2	ND	M2
Acetamiprid	0.032 / 0.097	1	0.2	ND	M2	Imidacloprid	0.065 / 0.194	1	0.4	ND	
Aldicarb	0.065 / 0.194	1	0.4	ND		Kresoxim-methyl	0.065 / 0.194	1	0.4	ND	M2
Azoxystrobin	0.032 / 0.097	1	0.2	ND	M2	Malathion	0.032 / 0.097	1	0.2	ND	I1, M2
Bifenazate	0.032 / 0.097	1	0.2	ND	M1	Metaxyl	0.032 / 0.097	1	0.2	ND	M2
Bifenthrin	0.032 / 0.097	1	0.2	ND	M2	Methiocarb	0.032 / 0.097	1	0.2	ND	
Boscalid	0.065 / 0.194	1	0.4	ND	I1, M2	Methomyl	0.065 / 0.194	1	0.4	ND	
Carbaryl	0.032 / 0.097	1	0.2	ND	M2	Myclobutanil	0.032 / 0.097	1	0.2	ND	M2
Carbofuran	0.032 / 0.097	1	0.2	ND	M2	Naled	0.081 / 0.243	1	0.5	ND	M2
Chlorantraniliprole	0.032 / 0.097	1	0.2	ND	M2	Oxamyl	0.162 / 0.485	1	1	ND	
Chlorfenapyr	0.162 / 0.485	1	1	ND	I1, M2	Pacllobutrazol	0.065 / 0.194	1	0.4	ND	M2
Chlorpyrifos	0.032 / 0.097	1	0.2	ND	M2	Permethrins	0.032 / 0.097	1	0.2	ND	M2
Clofentezine	0.032 / 0.097	1	0.2	ND	M2	Phosmet	0.032 / 0.097	1	0.2	ND	M2
Cyfluthrin	0.162 / 0.485	1	1	ND	M2	Piperonyl Butoxide	0.323 / 0.971	1	2	ND	M2
Cypermethrin	0.162 / 0.485	1	1	ND	M2	Prallethrin	0.032 / 0.097	1	0.2	ND	M2
Daminozide	0.162 / 0.485	1	1	ND		Propiconazole	0.065 / 0.194	1	0.4	ND	M2
Diazinon	0.032 / 0.097	1	0.2	ND	M2	Propoxur	0.032 / 0.097	1	0.2	ND	M2
Dichlorvos	0.017 / 0.049	1	0.1	ND	M2	Pyrethrins	0.136 / 0.407	1	1	ND	I1, M2
Dimethoate	0.032 / 0.097	1	0.2	ND	M2	Pyridaben	0.032 / 0.097	1	0.2	ND	M2
Ethoprophos	0.032 / 0.097	1	0.2	ND	M2	Spinosad	0.032 / 0.097	1	0.2	ND	M2
Etofenprox	0.065 / 0.194	1	0.4	ND	M2	Spiromesifen	0.032 / 0.097	1	0.2	ND	M2
Etoxazole	0.032 / 0.097	1	0.2	ND	M2	Spirotetramat	0.032 / 0.097	1	0.2	ND	
Fenoxycarb	0.032 / 0.097	1	0.2	ND	M2	Spiroxamine	0.065 / 0.194	1	0.4	ND	M2
Fenpyroximate	0.065 / 0.194	1	0.4	ND	M2	Tebuconazole	0.065 / 0.194	1	0.4	ND	M2
Fipronil	0.065 / 0.194	1	0.4	ND		Thiacloprid	0.032 / 0.097	1	0.2	ND	I1, M2
Fonicamid	0.162 / 0.485	1	1	ND		Thiamethoxam	0.032 / 0.097	1	0.2	ND	
Fludioxonil	0.065 / 0.194	1	0.4	ND	M2	Trifloxystrobin	0.032 / 0.097	1	0.2	ND	M2

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



AltMed Arizona - Verano AZC  
 1341 W. Industrial Dr.  
 Coolidge, AZ 85128  
 License #: 00000105DCOU00194638  
 Sample ID: 2412SMAZ1494.4476  
 Batch #: 241125RSOI



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 9560

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>